







**STAR
WARNING
SYSTEMS®**

**LIST
PRICE LIST**

Version: PL09-19-22
Effective September 19, 2022

**"Proudly Designed, Manufactured,
and Assembled in the U.S.A.!"**

www.starheadlight.com
An ISO 9001-2015 Certified Company



**D.O.T. • UTILITY • SECURITY • CONSTRUCTION
• POLICE •**

MAILING
455 Rochester Street
Avon, NY 14414

SHIPPING
455 Rochester Street
Avon, NY 14414

PHONE
585-226-9787
585-226-9500

FAX
888-478-2797
585-226-2029

TABLE OF CONTENTS

Star X-Fire® LED Beacons 2

Star Halo® LED Beacons 2 - 4

LED Beacons 4

Compact LED Beacons 4

LED Lights 4 - 7

Star Constellation® 8

Remote Kits and Heads (LED and Strobe) 8

LED Traffic Directors 8 - 9

Star Phantoms® LED Lightbars 10

LED Mini-Bars 10

LED Lightbars 11 - 12

Vehicle Specific Mount Kits 12

Star Alarm® Back-Up Alarms 13 - 14

Switch Panels and Boxes 14

Accessories 15








Strobe Tubes and Bulbs 16

Sirens 16

Speakers 17


Index 18 - 20

Warranty Back
Cover



STAR X-Fire® LED Beacons

* = Colors: A, B, C, G, R



Model Number Description

LIST

266TAL-A	Tall lens, dust cover, three hole, permanent mount	180.83
266TCFL-*	Tall lens, flange mount, 10-30V	163.59
266TCL-*	Tall lens, perm. mount, 10-30V	163.59
266TCLM-*	Tall lens, mag. mount, 10-16V	185.22
266TCLV-*	Tall lens, vacuum mag. mount, 10-16V	228.15
266TSAL-A	Short dome, dust dome, dust cover, three hole, permanent mount	180.83
266TSFL-*	Short lens, flange mount, 10-30V	163.59
266TSL-*	Short lens, perm. mount, 10-30V	163.59
266TSLM-*	Short lens, mag. mount, 10-16V	185.22
266TSLV-*	Short lens, vacuum mag. mount, 10-16V	228.15

281-*	Four wires, three-hole perm. mount, 10-32V	161.23
281B-*	Four wires, single bolt mount, 10-32V	174.75
281DIN-*	Din mount, 10-32V	193.00
281FDIN-*	Flexi-din mount, 10-32V	209.56
281M-*	Mag. mount, 9-16V	182.18
281R-*	Five wires, rotating pattern, 9-32V	162.24
281RFP-*	Flexi-din, rotating pattern, 9-32V	207.87
281RM	Rotating pattern only, magnet mount, cig plug, 9-32V	207.87
281RP-*	Din mount, rotating pattern, 9-32V	192.66

200A-12V-A	Bottom plate, 1" pipe and multi-hole mount, hardwired, 9-32V	236.60
------------	--	--------


200S-12V-*	1/2" NPT mount, flush mounting kit, hardwired, 9-32V	171.03
200SM-12V-*	Mag. mount, cig. plug, 9-16V	191.31

240C-12V-*	Tall dome, default flicker flash, perm. mount, 9-32V	161.56
240CF-12V-*	Tall dome, default flicker flash, flange, 1" pipe mount, 9-32V	161.56
240CM-12V-*	Tall dome, default flicker flash, mag. mount with cig. plug, 9-16V	180.83
240S-12V-*	Short dome, default flicker flash, perm. mount, 9-32V	161.56
240SF-12V-*	Short dome, default flicker flash, flange, 1" pipe mount, 9-32V	161.56
240SM-12V-*	Short dome, default flicker flash, mag. mount with cig. plug, 9-16V	180.83

201ZLX-*	Permanent mount, 1/2" pipe mount, 9-32V	121.00
201ZLXM-*	Magnet mount, cig. plug, 9-16V	135.20

STAR HALO® LED BEACONS

* = Colors: A, B, C, G, R




Model Number Description

LIST

255H8TAL-*	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	241.33
255H8TALV-*	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	292.37
255H8TCFL-*	Ultra high intensity LEDs, tall lens, flange mount, 10-30V	228.15
255H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	228.15
255H8TCLM-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	241.33
255H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	281.22
255H8TSFL-*	Ultra high intensity LEDs, short lens, flange mount, 10-30V	281.22
255H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	228.15
255H8TSLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	241.33
255H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	281.22
255HTAL-A	High intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	235.25
255HTALV-A	High intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	304.88

STAR HALO® LED BEACONS (CONTINUED)


* = Colors: A, B, C, G, R



Model Number	Description	List
255HTCFL-*	High intensity LEDs, tall lens, flange mount, 10-30V	196.04
255HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	196.04
255HTCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	214.29
255HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	254.51
255HTSFL-*	High intensity LEDs, short lens, flange mount, 10-30V	196.04
255HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	196.04
255HTSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	214.29
255HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	254.51
257H8TAL-A	Ultra high intensity LEDs, tall lens, dust cover, perm. mount, 10-30V	262.96
257H8TALV-A	Ultra high intensity LEDs, tall lens, dust cover, vacuum mag. mount, 10-16V	333.61
257H8TCL-*	Ultra high intensity LEDs, tall lens, perm. mount, 10-30V	251.81
257H8TCLV-*	Ultra high intensity LEDs, tall lens, vacuum mag. mount, 10-16V	322.11
257H8TSL-*	Ultra high intensity LEDs, short lens, perm. mount, 10-30V	251.81
257H8TSLV-*	Ultra high intensity LEDs, short lens, vacuum mag. mount, 10-16V	322.11
257HTCL-*	High intensity LEDs, tall lens, perm. mount, 10-30V	219.02
257HTCLV-*	High intensity LEDs, tall lens, vacuum mag. mount, 10-16V	289.33
257HTSL-*	High intensity LEDs, short lens, perm. mount, 10-30V	219.02
257HTSLV-*	High intensity LEDs, short lens, vacuum mag. mount, 10-16V	289.33
200AH8L-*	Ultra high intensity LEDs, perm. mount, 10-30V	334.62
200AHL-*	High intensity LEDs, perm. mount, 10-30V	307.92
200SH8L-*	Ultra high intensity LEDs, perm. mount, 1/2" pipe mount, 10-30V	280.54
200SH8LM-*	Ultra high intensity LEDs, mag. mount, 10-16V	300.82
200SHL-*	High intensity LEDs, perm. mount, 1/2" pipe mount, 10-30V	266.68
200SHLM-*	High intensity LEDs, mag. mount, 10-16V	285.95
240H8AFL-*	Ultra high intensity LEDs, dust cover, flange base, 1" pipe mount, 10-30V	280.54
240H8AL-*	Ultra high intensity LEDs, dust cover, perm. mount, 1" pipe mount, 10-30V	269.39
240H8ALM-*	Ultra high intensity LEDs, dust cover, mag. mount, 10-16V	288.99
240H8CFL-*	Ultra high intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	269.39
240H8CGL-*	Ultra high intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	280.54
240H8CL-*	Ultra high intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	258.23
240H8CLM-*	Ultra high intensity LEDs, tall lens, mag. mount, 10-16V	277.84
240H8SFL-*	Ultra high intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	269.39
240H8SGL-*	Ultra high intensity LEDs, short lens, perm. mount, G-plate, 10-30V	280.54
240H8SL-*	Ultra high intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	258.23
240H8SLM-*	Ultra high intensity LEDs, short lens, mag. mount, 10-16V	277.84
240HCFL-*	High intensity LEDs, tall lens, flange base, 1" pipe mount, 10-30V	249.11
240HCGL-*	High intensity LEDs, tall lens, perm. mount, G-plate, 10-30V	263.30
240HCL-*	High intensity LEDs, tall lens, perm. mount, 1" pipe mount, 10-30V	237.61
240HCLM-*	High intensity LEDs, tall lens, mag. mount, 10-16V	249.11
240HSFL-*	High intensity LEDs, short lens, flange base, 1" pipe mount, 10-30V	237.61
240HSGL-*	High intensity LEDs, short lens, perm. mount, G-plate, 10-30V	263.30
240HSL-*	High intensity LEDs, short lens, perm. mount, 1" pipe mount, 10-30V	237.61
240HSLM-*	High intensity LEDs, short lens, mag. mount, 10-16V	249.11
200AHDL-**	Dual-color , dust cover, clear lens, perm. mount, 10-30V	366.05
200SHDL-**	Dual-color , die cast base, clear lens, perm. mount, 1/2" pipe mount, 10-30V	306.57
200SHDLM-**	Dual-color , die cast base, clear lens, mag. mount, 10-16V	326.17

STAR HALO® LED BEACONS (CONTINUED)

* = Colors: A, B, C, G, R



Model Number Description

List

258HTDAL-**	Dual-color, tall clear lens, dust cover, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	262.29
258HTDALV-**	Dual-color, tall clear lens, dust cover, polycarbonate base, vacuum mag. mount, 10-16V	321.44
258HTDCL-**	Dual-color, tall clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	249.78
258HTDCLV-**	Dual-color, tall clear lens, polycarbonate base, vacuum mag. mount, 10-16V	307.92
258HTDSL-**	Dual-color, short clear lens, polycarbonate base, three hole perm. mount, 1" pipe mount, 10-30V	249.78
258HTDSL-**	Dual-color, short clear lens, polycarbonate base, vacuum mag. mount, 10-16V	307.92

LED BEACONS

* = Dome colors: A, B, C, G, R



Model Number Description


List

256TCFL-*	C2 LED warning beacon, tall lens, flange mount, 9-32V	94.30
256TCL-*	C2 LED warning beacon, tall lens, three hole perm. mount, 1" pipe mount, 9-32V	94.30
256TCLM-*	C2 LED warning beacon, tall lens, mag. mount, 9-16V	115.26
256TCLV-*	C2 LED warning beacon, tall lens, vacuum mag. mount, 9-16V	150.07
256TSFL-*	C2 LED warning beacon, short lens, flange mount, 9-32V	94.30
256TSL-*	C2 LED warning beacon, short lens, three hole perm. mount, 1" pipe mount, 9-32V	94.30
256TSLM-*	C2 LED warning beacon, short lens, mag. mount, 9-16V	115.26
256TSLV-*	C2 LED warning beacon, short lens, vacuum mag. mount, 9-16V	150.07

240CFL-*	C2 LED warning beacon, tall lens, flange base, perm. mount, 10-30V	114.58
240SFL-*	C2 LED warning beacon, short lens, flange base, perm. mount, 10-30V	114.58

COMPACT LED BEACONS

* = Dome colors: A, B, C, G, R




Model Number Description

List

201ZL-*	360° beacon, perm. mount, 1/2" pipe mount, 10-30V	86.87
201ZLM-*	360° beacon, mag. mount, 10-16V	106.13
203MVL-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-110V	78.75
203MVLM-*	360° beacon, mag. mount, 10-16V	98.70
204MVL-*	360° beacon, flange base, perm. mount, 1/2" pipe mount, 10-110V	78.75

LED LIGHTS

** = LED colors: A, B, G, R, W



Model Number Description

List

ULB9E-**	Eight mid power LEDs, cig. plug, 10-16V	161.23
ULB9E-1-**	Eight mid power LEDs, 12' cable, 10-16V	161.23
RLKULB9E-1-**	Flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	314.34
ULB9LDC-**	Lineum X™, dual color, cig .plug, 10-16V	307.92
ULB9LDC-1-**	Lineum X™, dual color, 12' cable, 10-16V	307.92
ULB9S-**	Starburst flashing, cig. plug, 10-16V	283.92
ULB9S-1-**	Starburst flashing, 12' cable, sync. capability, 10-16V	283.92
FLKULB9S-**	Starburst flashing, dual head, with cig. plug, 10-16V	559.73
RLKULB9S-1-**	Starburst flashing light kit, dual head, rear mounting, 12' cable, sync. capability, 10-16V	559.73
VL22-*	LED Visor Light with tilt switch	310.96

LED LIGHTS (CONTINUED)

** = LED colors: A, B, G, R, W



Model Number Description

LIST

DLIT3E-*	Micro-Star™, three LED, wide spread, Black die cast base, flush mount, 10-16V	73.68
DLIT3S-*	Micro-Star™, three LED, spot, Black die cast base, flush mount 10-16V	73.68
DLITE-**	Micro-Star™, wide spread, Black die cast base, flush mount, 10-30V	126.07
DLITS-**	Micro-Star™, spot, Black die cast base, flush mount 10-30V	126.07
DLITMC-**	Tri-Color Micro-Star™, Black die cast base, flush mount, 10-30V	146.69
274-DLIT-45	Micro-Star™, 45° bracket kit universal bracket kit	24.34
274-DLIT-CLP	DLIT hood clip bracket kit	51.71
274-DLIT-GRL	DLIT grill bracket kit	20.96
274-DLIT-GTA	'21 Chevy Tahoe grill bracket	54.76
274-DLIT-RB	'21 Chevy Tahoe running board bracket	30.76
274-DLIT-RT	DLIT adhesive bracket kit	30.76
274-DLIT-W	DLIT window adhesive bracket kit	30.76
274-DLIT3-U	DLIT3 universal mounting bracket	21.97
274-DLIT-LPB4	Quad license plate bracket kit for DLIT's	77.74
274-DLIT-RL	Micro-Star™, licence plate bracket kit	39.21
274-DLIT-U	Micro-Star™, universal bracket kit	21.97
BB274-FISUV-DLIT3	Ford Interceptor SUV front grille bracket kit for DLIT3 lights	35.15
DLS306-*	Mini-Comet™, spherical, Black bezel, 10-30V	147.37
DLS306C-*	Mini-Comet™, spherical, Chrome bezel, 10-30V	161.23
DLX3-*	Versa Star®, three LED array, Black bezel, flush or bracket mount, 10-16V	94.30
DLX4-**	Versa Star®, four LED array, Black bezel, flush or bracket mount, 10-30V	113.23
DLX4C-**	Versa Star®, four LED array, Chrome bezel, flush or bracket mount, 10-30V	126.07
DLX6-**	Versa Star®, six LED array, Black bezel, bracket mount, 10-30V	161.23
DLX6C-**	Versa Star®, six LED array, Chrome bezel, bracket mount, 10-30V	174.75
DLX6F-**	Versa Star®, six LED array, Black bezel, flush mount, 10-30V	121.34
274-DLX4-6-1X2	Versa Star® mounting bracket, one row of two LED lights	26.70
274-DLX4-6-2X1	Versa Star® mounting bracket, two rows of one LED lights	26.70
274-DLX4-6-45	Versa Star® mounting bracket, 45° angle	26.70
274-DLX4-6-CLP	Versa Star® mounting bracket, hood clip	32.79
274-DLX4-6-H	Versa Star® mounting bracket, headliner bracket	26.70
274-DLX4-6-HK	Versa Star® mounting bracket, DLX4-HK and DLX6-HK headliner	26.70
274-DLX4-6-RL	Versa Star® mounting bracket, license plate	35.15
274-DLX4-6-T	Versa Star® mounting bracket, trunk	26.70
274-DLX4-6-U	Versa Star® mounting bracket, universal	21.97
274-DLX4-6-W	Versa Star® mounting bracket, window	26.70
DLX4-HK-**	Versa Star®, four LED array, Black bezel, flashback hood, cig. plug, 10-16V	211.93
DLX4-HK-1-**	Versa Star®, four LED array, Black bezel, flashback hood, hardwire, 10-30V	211.93
DLX4-HK2-**	Versa Star®, dual four LED array, Black bezel, flashback hood, cig. plug, 10-16V	422.50
DLX4-HK2-1-**	Versa Star®, dual four LED array, Black bezel, flashback hood, hardwire, 10-30V	422.50
DLX6-HK-**	Versa Star®, six LED array, Black bezel, flashback hood, cig. plug, 10-16V	254.85
DLX6-HK-1-**	Versa Star®, six LED array, Black bezel, flashback hood, hardwire, 10-30V	254.85
DLX6-HK2-**	Versa Star®, dual six LED array, Black bezel, flashback hood, cig. plug, 10-16V	508.69
DLX6-HK2-1-**	Versa Star®, dual six LED array, Black bezel, flashback hood, hardwire, 10-30V	508.69

LED LIGHTS (CONTINUED)

** = LED colors: A, B, G, R, W



Model Number Description

LIST

BB274-DLX46LPM	Versa Star® mounting bracket, adjustable license plate bracket	35.15
BB274-DLX4-6-RHK	Versa Star® mounting bracket, rear window of a pickup truck, mounts to the hanger clips	26.70
BB274-DLX4-6-SLP	Versa Star® mounting bracket, rear window of a pickup truck	26.70
BB274-DLX6-BAIL	Versa Star® mounting bracket, bail bracket	24.67
BB274-RWL	Versa Star® mounting bracket, bail bracket	47.32
BB274-DLX-VC	Versa Star® mounting bracket, visor clip	42.25
BB274-FISUV-GRL	Ford Interceptor SUV front grille bracket kit, mounts DLX3, DLX4, DLX6F (lights not included)	71.32
BB274-FISUV-VER	Ford Interceptor SUV headlight bracket kit, mounts DLX3, DLX4, DLX6F in the headlight of 2016 Police Ford Interceptor SUV (lights not included)	30.76

DLTTRMC-1	4" round Black bezel, stop/tail/turn, thirty-six array LED head, 9-32V DC	146.69
DLTTRMC-4	4" round rubber grommet, stop/tail/turn, thirty-six array LED head, 9-32V DC	146.69
DLXTRMC-1-***	4" round black bezel, Tri-color, thirty-six array LED head, 9-32V DC	146.69
DLXTRMC-1C-***	4" round chrome bezel, Tri-color, thirty-six array LED head, 9-32V DC	148.04
DLXTRMC-4-***	4" round black grommet, Tri-color, thirty-six array LED head, 9-32V DC	146.69
DLXTUMC-1-***	6" oval black bezel, Tri-color, thirty-six array LED head, 9-32V DC	148.04
DLXTUMC-1C-***	4" oval chrome bezel, Tri-color, thirty-six array LED head, 9-32V DC	148.04
DLXTUMC-4-***	4" oval black grommet, Tri-color, thirty-six array LED head, 9-32V DC	146.69

DLHT-121-**	Single head, hazard turn, Black rectangular bezel, 10-16V	101.06
DLHT-121CAA	Single head, hazard turn, Chrome rectangular bezel, Amber, 10-16V	106.47
DLHT-124-**	Single head, hazard turn, Black oval bezel, Amber, 10-16V	101.06
DLHT-124CAA	Single head, hazard turn, Chrome oval bezel, 10-16V	106.47
DLHT-241-**	Single head, hazard turn, Black rectangular bezel, 24V	114.58
DLHT-241CAA	Single head, hazard turn, Chrome rectangular bezel, 24V	121.00
DLHT-244-**	Single head, hazard turn, Black oval bezel, Amber, 24V	114.58
DLHT-244CAA	Single head, hazard turn, Chrome oval bezel, Amber, 24V	121.00

DLNT-121-**	Single head, steady burn, Black rectangular bezel, 10-16V	86.87
DLNT-121S-RR-16	Single switch, Black bezel, 10-16V	92.27
DLNT-121SC**-16	Single switch, Chrome bezel, 10-16V	92.27
DLNT-122S**-16	Double switch, Black bezel, 10-16V	183.53
DLNT-122SC**-16	Double switch, Chrome bezel, 10-16V	188.94

DLTT-121-**	Single head, auxiliary stop/tail/turn, Black rectangular bezel, 10-16V	101.06
DLTT-121CAA	Single head, auxiliary stop/tail/turn, Chrome rectangular bezel, 10-16V	106.47
DLTT-124-**	Single head, auxiliary stop/tail/turn, Black oval bezel, 10-16V	101.06
DLTT-124CAA	Single head, auxiliary stop/tail/turn, Chrome oval bezel, 10-16V	106.47
DLTT-241-**	Single head, auxiliary stop/tail/turn, Black rectangular bezel, 24V	114.58
DLTT-241CAA	Single head, auxiliary stop/tail/turn, Chrome rectangular bezel, 24V	121.00
DLTT-244-**	Single head, auxiliary stop/tail/turn, Black oval bezel, 24V	114.58
DLTT-244CAA	Single head, auxiliary stop/tail/turn, Chrome oval bezel, 24V	121.00

DLXT-121-**	Single head, perimeter standard warning, Black rectangular bezel, 10-16V	94.30
DLXT-121C**	Single head, perimeter standard warning, Chrome rectangular bezel, 10-16V	98.70
DLXT-124-**	Single head, perimeter standard warning, Black oval bezel, 10-16V	94.30
DLXT-124C**	Single head, perimeter standard warning, Chrome oval bezel, 10-16V	98.70
DLXT-2CUST	Double head, perimeter standard warning, Black rectangular bezel, 10-16V	187.93
DLXT-2CUST	Double head, perimeter standard warning, Black rectangular bezel, 24V	187.93
DLXT-2CUST	Double head, perimeter standard warning, Chrome rectangular bezel, 10-16V	187.93
DLXT-2CUST	Double head, perimeter standard warning, Chrome rectangular bezel, 24V	187.93
DLXT-3CUST	Triple head, perimeter standard warning, Black rectangular bezel, 10-16V	281.22
DLXT-3CUST	Triple head, perimeter standard warning, Black rectangular bezel, 24V	281.22
DLXT-3CUST	Triple head, perimeter standard warning, Chrome rectangular bezel, 10-16V	281.22
DLXT-3CUST	Triple head, perimeter standard warning, Chrome rectangular bezel, 24V	281.22

LED LIGHTS (CONTINUED)

** = LED colors: A, B, G, R, W



Model Number Description

LIST

274-DLXT-1X2	DLXT mounting bracket, one row of two LED lights	39.21
274-DLXT-2X1	DLXT mounting bracket, two rows of one LED light	21.97
274-DLXT-45	DLXT mounting bracket, 45° angle	26.70
274-DLXT-RL	DLXT mounting bracket, license plate	35.15
274-DLXT-T	DLXT mounting bracket, trunk	21.97
274-DLXT-U	DLXT mounting bracket, universal	26.70
274-DLXT-W	DLXT mounting bracket, window	30.76
BB274-DLXT-LPB	DLXT mounting bracket, six (three on each side) on license plate	46.64

DLXTHR-1-*	4" round, bezel, flashing, 10-30V	134.52
DLXTHR-2-*	4" round, connector, flashing, 10-30V	134.52
DLXTHR-4-*	4" round, grommet, flashing, 10-30V	107.48
DLXTHR-8-*	4" round, grommet and connector, flashing, 10-30V	162.24

DLXTHU-1-*	6" oval, bezel, flashing, 12-24V	121.34
DLXTHU-4-*	6" oval, grommet, flashing, 12-24V	107.48
DLXTHU-7-*	6" oval, window bezel, flashing, 12-24V	107.48
DLXTHU-8-*	6" oval, grommet and connector, flashing, 12-24V	162.24
BB274-DLXTHU-LPB	License plate bracket, mounts two units	61.18
DLXTHUS-1-**	6" oval, split color, bezel, flashing	139.59
DLXTHUS-4-**	6" oval split color, grommet, flashing	139.59

LDH-361-S-*	Par 36, steady burn, sealed beam, spot optics, 10-30V	172.38
LDH-361-T-*	Par 36, steady burn, sealed beam, trapezoidal optics, 10-30V	172.38
LDH-362-E-*	Par 36, steady burn, swivel mount, wide spread optics, 10-30V	214.63
LDH-362-S-*	Par 36, steady burn, swivel mount, spot optics, 10-30V	214.63
LDH-362-T-*	Par 36, steady burn, swivel mount, trapezoidal optics, 10-30V	214.63
LDH-363M-S-*	Par 36, steady burn, rubber tractor housing, spot optics, mag. mount, 10-16V	232.88
LDH-363M-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, mag. mount, 10-16V	232.88
LDH-363-E-*	Par 36, steady burn, rubber tractor housing, wide spread optics, 10-30V	222.74
LDH-363-S-*	Par 36, steady burn, rubber tractor housing, spot optics, 10-30V	222.74
LDH-363-T-*	Par 36, steady burn, rubber tractor housing, trapezoidal optics, 10-30V	222.74
LDH-364-E-*	Par 36, steady burn, rubber grommet mount, wide spread optics, 10-30V	214.63
LDH-364-S-*	Par 36, steady burn, rubber grommet mount, spot optics, 10-30V	214.63
LDH-364-T-*	Par 36, steady burn, rubber grommet mount, trapezoidal optics, 10-30V	214.63
LDHF362-E-*	Par 36, flashing, swivel mount, wide spread optics, 10-30V	228.83
LDHF362-S-*	Par 36, flashing, swivel mount, spot optics, 10-30V	228.83
LDHF362-T-*	Par 36, flashing, swivel mount, trapezoidal optics, 10-30V	228.83
LDHF363-E-*	Par 36, flashing, rubber tractor mount, wide spread optics, 10-30V	243.36
LDHF363-SE-*	Amber LED horizontal spread, rubber tractor housing with extended lens, 10-30V	243.36
LDHF363-T-*	Par 36, flashing, rubber tractor mount, trapezoidal optics, 10-30V	243.36
LDHF364-E-*	Par 36, flashing, rubber grommet mount, wide spread optics, 10-30V	234.91
LDHF364-T-*	Par 36, flashing, rubber grommet mount, trapezoidal optics, 10-30V	234.91

STAR CONSTELLATION®

* = LED colors: A, B, C, G, R




Model Number Description

LIST

BK255H8TCL-*	Star Constellation®, Halo® beacon, tall lens, 18" cable and connector, 10-30V	238.97
BK255H8TSL-*	Star Constellation®, Halo® beacon, short lens, 18" cable and connector, 10-30V	238.97
BK266TCL-*	Star Constellation®, X-Fire™ beacon, tall lens, 18" cable and connector, 10-30V	174.75
BK266TSL-*	Star Constellation®, X-Fire™ beacon, short lens, 18" cable and connector, 10-30V	174.75
BK9016LED-*	Star Constellation®, Mini-bar, 30" cable and connector, 10-30V	667.55
BK9100LED-*	Star Constellation®, Contour™, mini-bar, 30" cable and connector, 10-30V	409.99
BKDLIT3E	Star Constellation®, Micro-Star™, wide spread, four wire	84.84
BKDLIT3S	Star Constellation®, Micro-Star™, spot spread, four wire	84.84
BKDLITE-**	Star Constellation®, Micro-Star™, wide spread, 6" cable and connector, 10-30V	136.89
BKDLITS-**	Star Constellation®, Micro-Star™, spot, 6" cable and connector, 10-30V	136.89
BKDL306-*	Star Constellation®, Mini-Comet™, omni-directional, black bezel, 10-30V	169.00
BKDLX3-*	Star Constellation®, three LED array, black bezel, 6" cable and connector, 10-16V	112.55
BKDLX4-**	Star Constellation®, four LED array, black bezel, 6" cable and connector, 10-30V	123.71
BKDLX6F-**	Star Constellation®, six LED array, black bezel, 6" cable and connector, 10-30V	131.82
BKDLXT-121-**	Star Constellation®, thin line, perimeter, 6" cable and connector, black rectangular bezel, 10-30V	128.78
BKDLXTHR-1-*	Star Constellation®, 4" round, 6" cable and connector, 10-30V	155.48
BKDLXTHU-1-*	Star Constellation®, 6" oval, 6" cable and connector, 10-30V	155.48
BKLD418-2	Star Constellation®, 6 outlet junction box controller	68.28
BKLDHF311-*10	Star Constellation®, spherical in-line, 18" head side cable, 10' cable and connector, 12-24V	203.81
BKSWH-346-5	Star Constellation®, 5' cable and connector, 105°C	42.25
BKSWH-346-10	Star Constellation®, 10' cable and connector, 105°C	49.01
BKSWH-346-18	Star Constellation®, 18' cable and connector, 105°C	69.63
BKSWH-346-19	Star Constellation®, 19' cable and connector, 105°C	73.35
BKSWH-346-24	Star Constellation®, 24' cable and connector, 105°C	85.18
BKSWH-357-18	Star Constellation®, 18' cable and connector, 125°C	60.84
BKSWH-357-23	Star Constellation®, 23' cable and connector, 125°C	66.25
BKSWH-361-10	Star Constellation®, 10' cable and connector, 125°C	60.84
BKSWH-361-14	Star Constellation®, 14' cable and connector, 125°C	64.90
BKSWH-361-16	Star Constellation®, 16' cable and connector, 125°C	70.64
BKSWH-361-18	Star Constellation®, 18' cable and connector, 125°C	77.74
BKSWH-361-21	Star Constellation®, 21' cable and connector, 125°C	89.23
BKSWH-361-23	Star Constellation®, 23' cable and connector, 125°C	102.08
BKSWH-361-25	Star Constellation®, 25' cable and connector, 125°C	114.92
BKSWH-361-21FD	Star Constellation®, 21' high temperature cable and connector, for Ford Interceptor SUV	40.56
BKSWH-361-FD-S	Star Constellation®, 46' high temperature cable and connector, for Ford Interceptor SUV	80.78

REMOTE FLASHING LED KITS

* = LED colors: A, B, C, G, R



Model Number Description

LIST

LDHF301-*10	Hide-a-Star, In-line, directional head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	193.00
LDHF301-*30	Hide-a-Star, In-line, directional head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	214.63
LDHF311-*10	Hide-a-Star, In-line, spherical head, undercover flashing kit, 10' cable, 1" hole mount, 12-24V	193.00
LDHF311-*30	Hide-a-Star, In-line, spherical head, undercover flashing kit, 30' cable, 1" hole mount, 12-24V	214.63

LED TRAFFIC DIRECTORS

LED color: A



Model Number Description

LIST

DLQS-4	Four head DLIT stick, 10-16V	486.72
DLQS-6	Six head DLIT stick, built in Traffic Director function, 10-16V	708.45
DLQS-6-AA-TD	Six head DLIT stick, built in Traffic Director function, 10-16V, with SB44-5 control box, 25' cable	870.69
DLQS-8	Eight head DLIT stick, built in Traffic Director function, 10-16V	930.51
DLQS-8-AA-TD	Eight head DLIT stick, built in Traffic Director function, 10-16V, with SB44-5 control box, 25' cable	1,091.74
DLQS-47-AA	Eight head DLIT stick, cruise function, 10-16V, 25' cable	963.98
DLQS-47-TD-35	Eight head DLIT stick, cruise function, 10-16V, 35' cable	1069.09
DLQS-47-TD-45	Eight head DLIT stick, cruise function, 10-16V, 45' cable	1087.68

LED TRAFFIC DIRECTORS (CONTINUED)

LED color: A



Model Number Description

List

DLQS-56-*	Six head DLIT stick, built in Traffic Director function, 10-16V, 25' cable	960.26
DLQS-76-*	Eight head DLIT stick, built in Traffic Director function, 10-16V, 25' cable	1,010.28
DLQS3-6	Six head DLIT3 stick, cruise function, 10-16V, 25' cable	657.07
DLQS3-6-**-3	Six head DLIT3 stick, cruise function, 10-16V, 3' cable	636.79
DLQS3-8	Eight head DLIT3 stick, cruise function, 10-16V, 25' cable	697.63
DLQS3-8-**-3	Six head DLIT3 stick, cruise function, 10-16V, 3' cable	677.35
DLQS-ARO-**-	47" arrow stick, twelve head, two head arrow	1,301.30
DLQS-ARO2-**-	47" arrow stick, sixteen head, four head arrow	1,394.25
DLQS-ARO2-AA-TD	47" arrow stick, sixteen head, four head arrow and SB44-5 key pad controller	1,522.69
DLQS-ARO-AA-TD	47" arrow stick, twelve head, two head arrow and SB44-5 key pad controller	1,463.20
DLQSMC-ARO-CUST	47" twelve dual color head DLQSMC arrow stick, with two head arrow	1,905.64
DLQSMC-ARO-CUST-TD	47" twelve color head DLQSMC arrow stick, with two head arrow and SB44-5 keypad controller	2,067.88
DLQSMC-ARO2-CUST	47" sixteen dual color head DLQSMC arrow stick, with four head arrow	2,137.85
DLQSMC-ARO2-CUST-TD	47" sixteen dual color head DLQSMC arrow stick, with 4 head arrow and SB44-5 keypad controller	2,300.09
DLQSMC-4-*	Four head DLIT stick, dual color, 10-16V	588.12
DLQSMC-6-*	Six head DLIT stick, dual color, built in Traffic Director function, 10-16V	808.50
DLQSMC-8-*	Eight head DLIT stick, dual color, built in Traffic Director function, 10-16V	1,031.24
TCS-1	Stop/Slow traffic control sign	390.05
TCS-1REF	Stop/Slow traffic control sign, M.U.T.C.D. reflective tape	449.88
TCS-2	Stop/Stop traffic control sign	283.58
TCS-2REF	Stop/Stop traffic control sign, M.U.T.C.D. reflective tape	343.41
TCS-6	6' extension pole for TCS-1 and TCS-2	114.58
ULB34-1-FISUV	Rear window light, six Starburst heads, 30" long, for Ford Interceptor SUV, 10-16V	556.35
ULB34-1-FISUV20	Rear window light, six Starburst heads, 30" long, for Ford Interceptor SUV, Tahoe, 10-16V for year 2020	556.35
ULB34-1-TA21	Starburst, six head, Chevy Tahoe/Suburban fits 2020	556.35
ULB38-TD-FISUV	Rear window light, six Lineum Dual Color heads, 30" long, for Ford Interceptor SUV, 10-16V	909.56
ULB38-TD-FISUV20	Rear window light, six Lineum Dual Color heads, 30" long, for Tahoe/Suburban, FISUV, 10-16V for year 2020	909.56
ULB38-TD-TA21	Lineum, dual color heads, Chevy Tahoe/Suburban SUV fits '20 - '22	909.56
ULB48-TD-**-	Lineum X™ Phantom®, traffic director, dual-color, 10-16V	1,426.36
274-ULB42BKT	Universal front and rear mount kit (included)	86.87
ULB14-**-	Starburst Half Phantom™, interior undercover, vehicle specific mounting bracket kit, cig. plug, 10-16V	528.97
ULB24-**-	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, cig. plug, 10-16V	1,056.59
ULB24-DLP-**-	Starburst Split Phantom™, interior undercover, vehicles with overhead consoles, directional LED, hardwire, 10-16V	1,127.23
ULB18-**-	Lineum X™, Half Phantom™, dual color, 10-16V	799.37
ULB28-**-	Lineum X™, Split Phantom™, dual color, 10-16V	1,357.75
ULB28-CH	Dodge Charger Lineum X™, Split Phantom™, dual color, 10-16V	1,357.75
ULB28-FIS-**-	Ford Interceptor Sedan Lineum X™, Split Phantom™, dual color, 10-16V	1,357.75
ULB28-FISUV-**-	Ford Interceptor SUV Lineum X™, Split Phantom™, dual color, 10-16V	1,357.75

STAR PHANTOM® LED LIGHTBAR MOUNT KITS



Vehicle Specific Mounting Kits for Half Phantoms™ (with ULB10, ULB14, and ULB18 - included in price)

Model Number	Description	List
274-ULB10-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	86.53
274-ULB10-CH11	2011-2022 Dodge Charger	69.29
274-ULB10-CP	2011-2017 Chevrolet Caprice	69.29
274-ULB10-CV	2006-2011 Ford Crown Victoria	69.29
274-ULB10-DU	2010-2022 Dodge Durango	81.46
274-ULB10-EX	2012-2020 Interceptor SUV, 2004-2014 Ford F150, 2006-2020 Ford Explorer, 2007-2013 Ford Expedition	76.05
274-ULB10-EX-20	2020-2022 Explorer bracket	76.05
274-ULB10-F1	2015-2020 Ford F150	81.46
274-ULB10-IM	2006-2013 Chevrolet Impala	69.29
274-ULB10-INT	2012-2020 Ford Interceptor Sedan	69.29
274-ULB10-RM	2009-2022 Dodge Ram	69.29
274-ULB10-TA	2007-2020 Chevrolet Tahoe, 2007-2020 Chevrolet Suburban, 2007-2020 Chevrolet Yukon	69.29
274-ULB10-TA21	2021-2022 Chevrolet Tahoe	69.29
274-ULB10-U1	Universal mounting	69.29

274-ULB21-CH	2006-2010 Dodge Charger, 2005-2008 Dodge Magnum	161.23
274-ULB21-CH11	2011-2022 Dodge Charger	161.23
274-ULB21-CP	2011-2016 Chevrolet Caprice	86.87
274-ULB21-CV	2006-2011 Ford Crown Victoria	97.34
274-ULB21-DU	2010-2022 Dodge Durango	129.12
274-ULB21-EX	2012-2016 Interceptor SUV, 2004-2016 Ford F150, 2006-2020 Ford Explorer, 2007-2013 Ford Expedition	129.12
274-ULB21-EX20	2020-2022 Interceptor SUV, 2020-2022 Ford Explorer	129.12
274-ULB21-EPD20	2020-2022 Ford Expedition	129.12
274-ULB21-F1	2015-2022 Ford F150	129.12
274-ULB21-IM	2006-2013 Chevrolet Impala	97.34
274-ULB21-INT	2012-2021 Ford Interceptor Sedan	97.34
274-ULB21-RM	2009-2019 Dodge Ram	97.34
274-ULB21-RM20	2020-2022 Ram bracket	97.34
274-ULB21-TA	2007-2020 Chevrolet Tahoe, 2007-2020 Chevrolet Suburban, 2007-2020 Chevrolet Yukon	86.87
274-ULB21-TA21	2021-2022 Chevrolet Tahoe	86.87
274-ULB21-U1	Universal mounting	97.34

LED MINI-BARS

* = Dome colors: A, B, C, G, R

LED colors: A, B, C, G, R



Model Number	Description	List
9900LED-*	Star Equalizer LED mini-bar, perm. mount, 10-16V	377.88
9900LEDB-*	Star Equalizer LED mini-bar, single bolt mount, 10-16V	389.38
9900LEDV-*	Star Equalizer LED mini-bar, vacuum magnet mount, 10-16V	442.10
9901LED-*	Star Equalizer LED mini-bar, internal hex nuts for worklights, perm. mount, 10-16V	404.92
9018DLED-*	16" Omega™, Lineum™, dual-color, warning light, perm. mount, 10-16V	1,460.50
	upcharge per head when upgrading from 12 to 18 LEDs	
9018LED-*	16" Omega™, Lineum™, single color, warning light, perm. mount, 10-16V	1,025.83
9018TBLED-*	16" Omega™, Lineum™, split color - top/bottom, perm. mount, 10-16V	1,118.78
	upcharge per head when upgrading from 6 to 9 LEDs	
9018LED9-A	16" Omega™, Super Lineum™, perm. mount, Amber only	1,325.30
9100LED-*	Star Contour®, M-Tech Plus®, perm. mount, 10-30V	401.21
9100LEDM-*	Star Contour®, M-Tech Plus®, mag. mount, 10-16V	414.73
9100LEDV-*	Star Contour®, M-Tech Plus®, vacuum mag. mount, 10-16V	500.58
9100LED-T13-A	Star Contour®, M-Tech Plus®, California Title 13, perm. mount, (Amber only), 9-32V	428.25
9100LEDV-T13-A	Star Contour®, M-Tech Plus®, California Title 13, vacuum magnet mount, (Amber only), 9-32V	526.94

LED MINI-BARS (CONTINUED)

* = Dome colors: A, B, C, G, R

LED colors: A, B, C, G, R




Model Number Description

LIST

9100DLED-*	Dual Color, Star Contour™, perm. mount, 10-30V	485.37
9100DLEDM-*	Dual Color, Star Contour™, mag. mount, 10-16V	505.65
9100DLEDV-*	Dual Color, Star Contour™, vacuum mag. mount, 10-16V	592.51
9016LED-*	16" Starbeam™, M-Tech Plus®, 360° warning light, perm. mount, 10-30V	657.07
9016LEDM-*	16" Starbeam™, M-Tech Plus®, 360° warning light, mag. mount, 10-16V	700.00
9016LEDV-*	16" Starbeam™, M-Tech Plus®, 360° warning light, vacuum mag. mount, 10-16V	782.81
7100DLED-*	Mini-Laser®, Lineum™, dual-color, perm. mount, 10-16V	1,711.63
7100LED-*	Mini-Laser®, Lineum™, single color, perm. mount, 10-16V	1,025.83
7100LED-TB-*	Mini-Laser®, Lineum™, split color - top/bottom, perm. mount, 10-16V	1,369.58
9202L-*	C2 LED mini-bar, perm. mount, 10-30V	240.99
9202LM-*	C2 LED mini-bar, mag. mount, 10-16V	277.84
9202LV-*	C2 LED mini-bar, vacuum mag. mount, 10-16V	384.31
9200LX	X-Fire® mini-bar, perm. mount, 9-32V	333.94
9200LXM	X-Fire® mini-bar, magnet mount, 9-16V	364.36
9200LXV	X-Fire® mini-bar, vacuum magnet mount, 9-16V	428.58
9200H8L-*	Dual, ultra high intensity LEDs, perm. mount, 10-30V	374.84
9200H8LM-*	Dual, ultra high intensity LEDs, mag. mount, 10-16V	401.21
9200H8LV-*	Dual, ultra high intensity LEDs, vacuum mag. mount, 10-16V	454.95
9200HL-*	Dual, high intensity LEDs, perm. mount, 10-30V	347.80
9200HLM-*	Dual, high intensity LEDs, mag. mount, 10-16V	374.84
9200HLV-*	Dual, high intensity LEDs, vacuum mag. mount, 10-16V	428.25

LED LIGHTBARS




Model Number Description

LIST

1400LED-AA	44", Amber single color Phazer lightbar, long single (6) LED heads, short single (3) LED heads, Clear domes	2,155.76
1421DLED-RBCA	44", Red/Blue dual-color Phazer lightbar with scene lighting, alleys, Traffic Director, long single (6) LED heads, long dual color (12) LED heads, short dual color (6) LED heads, Clear domes	3,072.08
1421LED-RB	44", Red/Blue single color Phazer lightbar with starburst alleys, starburst takedown pursuits, Traffic Director, long single (6) LED heads, short single (3) LED heads, Clear domes	2,371.41
1423LED-RB	44", Red/Blue Phazer lightbar with Traffic Director, dual-color alleys, takedown pursuits, intersection clearing lights, long single (6) LED heads, short single (3) LED head, Clear domes	2,805.06
1510LED-AA	51", Amber Phazer tow lightbar with Starburst worklights, Starburst stop/tail/turn lights, long single (6) LED heads, short single (3) LED heads, Clear domes	2,604.63
1521DLED-RBCA	51" Red/Blue dual-color Phazer lightbar with scene lighting, alleys, Traffic Director, long single (6) LED heads, long dual-color (12) LED heads, short dual color (6) LED heads, Clear domes	3,205.59
1521LED-RB	51", Red/Blue single color Phazer lightbar with Starburst alleys, starburst takedown pursuits, Traffic Director, long single (6) LED heads, short single (3) LED heads, Clear domes	2,871.99
1523LED-RB	51", Red/Blue lightbar with Traffic Director, dual-color alleys, takedown pursuits, intersection clearing lights, long single (6) LED heads, long dual-color 12 LED heads, short single (3) LED heads, short dual-color (6) LED heads	3,005.50
LBC-CAN	Lightbar control can module	428.25
1401-ES-AA	44", 14 PC Amber LED heads, Traffic Director function, 2 worklight and 2 alley LED heads, Clear domes	2,126.70
1421-ES-RB	44" Red LED heads, 5 Blue LED heads, 8 PC Amber LED Traffic Director heads, 2 takedown, 2 alley LED heads, Clear domes	2,388.98
1501-ES-AA	51", 14 PC Amber LED heads, Traffic Director function, clear domes	2,325.78
1501-ES-RB	51", 14 PC Amber LED heads, Traffic Director function, Clear domes	2,325.78
1521-ES-RB	51", 5 Red LED heads, 5 Blue LED heads, 8 PC Amber LED Traffic Director heads, 2 takedown, 2 alley LED heads, Clear domes	2,710.42

LED LIGHTBARS (CONTINUED)



Model Number Description

LIST

1550-TB10-Y	58", 10 PC Amber LED, tow bar, stop/tail/turn lights, worklights, Clear domes	2,003.66
1550-TB12-Y	58", 12 PC Amber LED, tow bar, stop/tail/turn lights, worklights, Clear domes	2,069.91
1550-TB8-Y	58", 8 PC Amber LED, tow bar, stop/tail/turn lights, worklights, Clear domes	1,869.82
1550-TB8-YR	58", 4 PC Amber/8 Red LED, tow bar, stop/tail/turn lights, worklights, Clear domes	2,069.91

7650-TB10-Y	58", Towbar, 8 PC Amber LED heads, Stop/Tail/Turn lights, Worklights, Clear dome	3232.97
-------------	--	---------

VEHICLE SPECIFIC LIGHTBAR MOUNT KITS



Model Number Description


LIST

JOBBER

WD


920-35	Ford E-Series (van), Jeep Cherokee ('97 - '07)		39.55
920-35CVLP	Ford Crown Victoria ('92 - '11)		39.55
920-35D	Dodge Avenger, Dodge Dart ('08 - '14)		39.55
920-35D1	Ford Explorer ('03 - '15)		39.55
920-35DU20	Dodge Durango ('21 - '22)		39.55
920-35F	Dodge Dakota, Toyota Tundra, Toyota Hilux, Toyota Tacoma		39.55
920-35F1	Ford F-Series (150), ('07 - '22)		39.55
920-35F2	Ford F-Series (250, 350, 450, 550), ('07 - '22)		43.94
920-35F3	Ford Edge, Ford Escape, Ford Taurus Interceptor (sedan), ('11 - '20)		43.94
920-35F4	Gutter bracket kit for Ford F150/F250/F450/F550 ('04 - '05)		39.55
920-35F5	Ford Interceptor (Explorer), ('12 - '19)		43.94
920-35F6	Ford E-450 ('03 - '09)		43.94
920-35F9	Ford F-Series (250, 350, 450)		43.94
920-35F10	PI SUV ('20 - '22)		39.55
920-35FT	Ford Expedition ('03 - '20)		39.55
920-35FX1	4.6" flexible bracket		39.55
920-35FX2	6.2" flexible bracket		39.55
920-35FX3	8.4" flexible bracket		54.42
920-35GM	Dodge Dakota (Reg. Ext. Crew), Jeep Grand Cherokee, Jeep Liberty, Pontiac Grand Prix		39.55
920-35GM5	Chevrolet Suburban, Chevrolet Tahoe ('07 - '14)		39.55
920-35GM6	Chevrolet Colorado, GMC Canyon ('04 - '12)		39.55
920-35GM7	Chevrolet Caprice ('11 - '15)		39.55
920-35GM8	Chevy Tahoe, Suburban ('15 - '22)		39.55
920-35I6	Chevrolet Impala ('06 - '13)		39.55
920-35M1	Dodge Charger ('05-'07),		39.55
920-35RM2	Dodge Ram Pickup Reg. ('03-'07)		39.55
920-35RM3	Dodge Ram Pickup Crew 1500, 2500, 3500 ('08-'22)		39.55
920-35RM5	Dodge Ram Pickup Crew ('03-'07)		39.55
920-35-S105	Chevrolet - Avalanche, C/K Pickup (1500, 2500, 3500), Silverado/Sierra, Trailblazer, Dodge Durango, GMC Trucks		39.55

STAR ALARMS® BACK-UP ALARMS



Model Number	Description	List
60-087	87 dB, single tone, compact cast aluminum, 12-36V	54.42
60-097	97 dB, single tone, compact cast aluminum, 12-36V	54.42
60-102	102 dB, single tone, compact cast aluminum, 12-36V	54.42
60-107	107 dB, single tone, compact cast aluminum, 10-32V	54.42
60-097DT	97 dB, dual tone, compact cast aluminum, 12-36V	71.99
60-102DT	102 dB, dual tone, compact cast aluminum, 12V only	71.99
60-707A	77-97 dB, auto adjust, compact heavy duty plastic housing, 12-24V	85.18
60-802A	82-102 dB, auto adjust, compact heavy duty plastic housing, 12-24V	91.26
60-807A	87-107 dB, auto adjust, compact heavy duty plastic housing, 12V only	91.26
60-802S	87-102 dB, selectable	73.68
60-907S	97-107 dB, selectable	71.66
63-087	87 dB, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	50.70
63-097	97 dB, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	50.70
63-102	102 dB, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 12-36V	50.70
63-107	107 dB, 4" round with grommet, attached wire leads, compact heavy duty plastic housing, 10-32V	50.70
63-707A	77-97 dB, auto adjust, 12-24V	60.84
63-802A	82-102 dB, auto adjust, 12-24V	60.84
63-807A	87-107 dB, auto adjust, 12V only	60.84
63-097DT	97 dB, dual tone, compact heavy duty plastic housing, 12-36V	57.80
63-102DT	102 dB, dual tone, compact heavy duty plastic housing, 12V only	57.80
66-087	87 dB, reverse speaker, compact heavy duty plastic housing, 12-36V	57.80
66-097	97 dB, reverse speaker, compact heavy duty plastic housing, 12-36V	57.80
66-102	102 dB, reverse speaker, compact heavy duty plastic housing, 12-36V	57.80
66-107	107 dB, reverse speaker, compact heavy duty plastic housing, 10-32V	57.80
66-097DT	97 dB, reverse speaker, dual tone, compact heavy duty plastic housing, 12-36V	57.80
66-102DT	102 dB, reverse speaker, dual tone, compact heavy duty plastic housing, 12V only	57.80
66-707A	77-97 dB, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	79.77
66-802A	82-102 dB, reverse speaker, auto adjust, compact heavy duty plastic housing, 12-24V	79.77
66-807A	87-107 dB, reverse speaker, auto adjust, compact heavy duty plastic housing, 12V only	79.77
66-802S	87 or 102 dB, reverse speaker, selectable, compact heavy duty plastic housing, 12-36V	79.77
66-907S	97 or 107 dB, reverse speaker, selectable, compact heavy duty plastic housing, 12V only	79.77
66-097DF	97 dB, reverse speaker, dual function, compact heavy duty plastic housing, 12-36V	76.05
66L-087	87 dB, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	57.80
66L-097	97 dB, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	57.80
66L-102	102 dB, reverse speaker, attached lugs, compact heavy duty plastic housing, 12-36V	57.80
66L-107	107 dB, reverse speaker, attached lugs, compact heavy duty plastic housing, 10-32V only	54.76
66L-097DT	97 dB, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12-36V	79.77
66L-102DT	102 dB, reverse speaker, attached lugs, dual tone, compact heavy duty plastic housing, 12V only	79.77

STAR ALARMS® BACK-UP ALARMS (CONTINUED)



Model Number Description

List

66L-707A	77-97 dB, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	79.77
66L-802A	82-102 dB, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12-24V	79.77
66L-807A	87-107 dB, reverse speaker, attached lugs, auto adjust, compact heavy duty plastic housing, 12V only	79.77
66L-097SS	97 dB, reverse speaker, Star Spectrum™, lugs only, night silent, compact heavy duty plastic housing, 12-36V	101.06
64-097	97 dB, attached wire leads, compact heavy duty plastic housing, 12-36V	42.59
64-102	102 dB, attached wire leads, compact heavy duty plastic housing, 12-36V	42.59
64-107	107 dB, attached wire leads, compact heavy duty plastic housing, 10-32V only	42.59
68-112	112 dB, reverse speaker, wire leads, compact heavy duty nylon filled housing, 10-32V	113.57
68C-112	112 dB, reverse speaker, 12" wire cable, compact heavy duty nylon filled housing, 10-32V	115.93
68L-112	112 dB, reverse speaker, lugs only, compact heavy duty nylon filled housing, 10-32V	115.93
68-812A	87-112 dB, auto adjust, wire leads, 10-32V	120.67
68C-812A	87-112 dB, auto adjust, two conductor cable	120.67
68L-812A	87-112 dB, auto adjust, lugs only	120.67
66-087SS	87 dB, reverse speaker, Star Spectrum™, back-up alarm with two wires, 10-32V	101.06
66-092SS	92 dB, reverse speaker, Star Spectrum™, back-up alarm with two wires, 10-32V	101.06
66-097SS	97 dB, reverse speaker, Star Spectrum™, back-up alarm with two wires, 10-32V	101.06
66L-097SS	97 dB, reverse speaker, Star Spectrum™, back-up alarm with lugs only, 10-32V	101.06

SWITCH PANELS AND SWITCH BOXES



Model Number Description

List

SB1515	Enclosed switch box, (4) 15 amp switches	150.07
SB3015	Enclosed switch box, (1) 30 amp switch, (3) 15 amp switches	160.89
SP1515	Switch panel, (4) 15 amp switches	139.59
SP3015	Switch panel, (1) 30 amp switch, (3) 15 amp switches	150.75
SP3860-1	On/Off	39.21
SP3860-2	On/Off, On/Off	45.97
SP3860-2H	On/Off, High/Low	76.05
SP3860-3	On/Off, On/Off, On/Off	99.03
SP3860-3H	On/Off, High/Low, On/Off	99.03
SP3860-4	On/Off, On/Off, On/Off, On/Off	107.48
SP3860-4H	On/Off, High/Low, On/Off, On/Off	107.48
SP3860-5	On/Off, On/Off, On/Off, On/Off, On/Off	118.30
SB4020	(1) 40 amp switch, (5) 20 amp switches, 2' wire harness	233.90
SB4020-15	(1) 40 amp switch, (5) 20 amp switches, 15' wire harness	277.16
SB4020T	(1) 40 amp switch, (5) 20 amp switches, nine position terminal block	262.96
SB4040	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 2' wire harness, adjustable jumper	321.44
SB4040-15	(4) 20 amp switch, (1) three mode 40 amps max, progressive slide switch, 15' wire harness	341.04
SB4425T	(1) on/off master power switch, (4) 40 amp switches, (5) 20 amp switches, twelve position terminal block	437.03
SB44-5	Mini controller switch panel, five button, six LED Traffic Director feedback, universal bracket, 12V	183.20
SB44-8	Mini controller switch panel, eight button, six LED Traffic Director feedback, universal bracket, 12V	243.70

ACCESSORIES

* = A, B, C, G, R



Model Number Description

LIST

BBK274-FH	Ford F-series roof bracket, fits halogen, third brake light, fits 2019 - present	252.82
BBK274-FL	Ford F-series roof bracket, fits LED, third brake light, fits 2019 - present	252.82
BBK274-FH-P	Ford F-series roof bracket, fits halogen, mag. mount plate for LED brake light version	309.95
BBK274-FL-P	Ford F-series roof bracket, fits LED, mag. mount plate for LED brake light version	309.95
BBK274-PLATE	Mag. mount plate	57.12

510	Clear, 4411 sealed beam, 3000cp	86.53
511.*	Clear, 4411 sealed beam, clear polycarbonate lens	76.05
510-1	Clear, toggle switch	96.67
510-1M	Clear, mag. mount, cig. plug, toggle switch	107.48
510-4509	Clear, 4509 high intensity sealed beam, 3000cp	74.02
510-M	Clear, mag. mount, cig. plug	94.64
511-1M.*	Clear, mag. mount, cig. plug, toggle switch, lens shield	171.70

500J	Car Inspector Lantern with LED 2012 head, 7 1/2"H x 4 3/4"W x 6 3/4"D	92.61
------	---	-------

274-SL	Self levelling bracket	227.47
274-SL1	Self levelling bracket for mini-bars	148.38
274-LMB	L-bracket for mirror blackout, 8"H x 8"W x 8"D	76.73
SR10	Horizontal mount, three unit organizer	66.92
SR12	Horizontal mount, four unit organizer	71.66
SR7	Vertical mount, two unit organizer	51.38
SR9	Vertical mount, three unit organizer	57.12

BB274-BEACONMMB	1" NPT beacon mirror bracket, west coast style, for 1" NPT threaded beacons	43.60
BB274-7100MMB	West coast style mirror bracket for the 7100 lightbar	21.97
BB274-MINIBAR-RSR	Universal mini-bar bracket for 9100, 9200, 9016, 9018 series mini-bars	43.60
BB274-DLXTHU-LPB	DLXTHU/DLXT license plate bracket mounts two units	61.18
BB274-343K	Adjustable beacon bracket	190.63

BBK-FDCH	Steering wheel interface circuit for Ford Interceptor SUV, Sedan, and Dodge Charger	142.64
----------	---	--------

ACCESSORIES (STAINLESS STEEL GUARDS AND MOUNTING)



Model Number Description

LIST

274-40C	Tall guard for 240 series	96.33
274-40S	Short guard for 240 series	59.15
274-55TC	Tall guard for 255TC series	57.12
274-55TS	Short guard for 255TS series	57.12
274-MMB	Mirror mount bracket, 1/2" pipe mount	49.35
274-MMB1S	1" NPT truck mirror mount bracket for short strobes	55.77
274-MMB1T	1" NPT truck mirror mount bracket for tall strobes	62.19
274-MMBS	1/2" NPT truck mirror mount bracket	54.08
274-MMBT	1/2" NPT truck mirror mount bracket	54.08
274-SL255	Self leveling bracket for 255 series	193.00

STROBE TUBE AND BULB GUIDE




Model Number Description

List

129	5 pin helical strobe tube	32.79
129-DH	Flash tube, double flash	51.71
129-R	Squat flash tube for 241 Series and 845S	36.84
129-Z	Strobe tube	28.39
LST129-4	4.5" linear strobe tube	32.45
LST129-7	7" and 9" linear strobe head	36.84
ST3901-*	Strobe head, weatherproof connector (* = A, B, C, R)	65.57
ST3901-12	Replacement strobe	65.57
ST3901-7	Strobe tube assembly head for mini-bars and lightbars	69.63
ST415PC	Clear hide-a-way strobe head, amp connector	55.43
ST415PC-W	Clear hide-a-way strobe head, weatherproof connector	55.43

2073-1142	18.4 watt bulb, incandescent, double contact	7.44
2073-1157	Stop/tail/turn bulb	4.73
2073-1195	Single contact bulb, bayonet base, 35 watt, 12V	5.75
2073-4411	Screw terminal lamp GE 300, candle power screw terminal, 12.8V	18.59
2073-4509	Lamp GE product code	51.04
2073-59013	20 watt, halogen spot for Starbar® and alley lights	36.84
2073-795X	50 watt halogen bulb, single contact, 12V	19.27
2073-797	50 watt, bi-pin bulb for 1169H	12.51
2073-94	13.3 watt incandescent, double contact bulb for Sabre® and Interceptor® Traffic Director	13.52
2073-FTEFG	35 watt bulb for Razor® alley light, 12V	36.84
2073-H3-1 (12V)	Halogen bulb for 505HM and grille/deck lights, 55 watt, 12V	10.82
2073-H50S	Special 50 watt short halogen bulb for Sabre® rotator	25.35

SIRENS




Model Number Description

List

LCS600	Hand held multi-function microphone, 100 watt	470.83
LCS652-013	Four mode economy siren, two auxiliary power switches, without P.A., 100 watt	254.85
LCS653-013	Four mode undercover siren, two auxiliary power switches, without P.A., 100 watt	357.94
LCS653-1-013	Three mode undercover siren, one auxiliary power switches, without P.A., 100 watt	357.94
LCS770	Six mode siren, P.A., backlit, seven switch functions, 100/200 watt	814.92
LCS800-008	Unistar Command Center™, less flange	1,139.06
LCS800-F8	Light control siren with light hook-up	1,139.06
LCS850-DM8	Unistar Command Center™, less flange with detachable microphone	1,195.51
LCS850-8	Light control siren with light and arrow stick controller, flange	1,423.32
LCS850-F8	Unistar Command Center™, flange, Traffic Director controller	1,423.32
LCS850MG12	Unistar Command Center™, siren with amp, less flange, dual tone, 200 watt	1,782.95
LCS850MG-F12	Unistar Command Center™, siren with amp, head with flange, dual tone, 200 watt	1,782.95
LCS869	MI- Control™, small nine button siren control, small hand held control with amp, six siren, two light functions, 100 watt	485.71
LCS880-016	Unistar Command Center™, hand held	824.72
SS650-013	Four mode economy siren, without P.A., 100 watt	222.74
SS651-013	Four mode undercover siren, without P.A., 100 watt	246.74
SS651MT-013	Four mode motorcycle siren with control unit, without P.A., 100 watt	500.58
SS670-013	Compact six mode siren, P.A., backlit, 100 watt	300.82
SS700-016	Six mode siren, P.A., backlit, 100/200 watt	369.10
SS730	Six mode remote siren, P.A., backlit, 100/200 watt	711.15
SS741MG-11	Six mode dual amp siren, P.A., 100/200 watt	853.79
SS741MG-DM11	Six mode dual amp siren, detachable microphone, P.A., 100/200 watt	902.46
SS867	Small seven button hand held siren control unit with amp, six siren functions, 100 watt	443.12

SPEAKERS



Model Number	Description	LIST	JOBBER	WD
D-44	Cyclone™ speaker, 100 watt			348.82
SPBRK-16	Cyclone™ speaker bracket, Universal "L" bracket, '04-'05 Dodge Durango, '01 Ford Taurus, '02-'09 Ford Explorer, '04-'09 GMC Envoy, '02-'13 Chevrolet Avalanche, '02-'09 Chevrolet Suburban, '04-'06 Chevrolet Tahoe			30.76
SPBRK-17	Cyclone™ speaker bracket, center mount bracket, '03-'11 Ford Crown Victoria			57.80
SPBRK-18	Cyclone™ speaker bracket, '07-'15 Chevrolet Suburban, '07-'15 Chevrolet Tahoe			30.76
SPBRK-19	Cyclone™ speaker, '06-'13 Chevrolet Impala			57.80
SPBRK-20	Cyclone™ speaker, '06-'13 Dodge Charger			57.80
SPBRK-21	Cyclone™ speaker, universal two piece adjustable bracket			57.80
SPBRK-22L	Cyclone™ speaker bracket, '08-'20 Ford F-Series Super Duty, driver side			57.80
SPBRK-22R	Cyclone™ speaker bracket, '08-'20 Ford F-Series Super Duty, passenger side			57.80
SPBRK-23	Cyclone™ speaker bracket, '08-'20 E-350/450			57.80
SPBRK-24	Cyclone™ speaker bracket, '07-'15 Ford Expedition			57.80
SPBRK-27	Cyclone™ speaker bracket, '11-'22 Dodge Charger			80.44
SPBRK-28	Cyclone™ speaker bracket, '10-'20 Ford Taurus			57.80
SPBRK-29	Cyclone™ speaker bracket, '11-'22 Ford F350			57.80
SPBRK-30	Cyclone™ speaker bracket, '11-'22 Dodge 4500			57.80
SPBRK-31	Cyclone™ speaker bracket, '11-'16 Chevrolet Caprice			57.80
SPBRK-32	Cyclone™ speaker bracket, '11-'22 dual bracket for Dodge Charger			92.27
SPBRK-33	Cyclone™ speaker bracket, '10-'22 Dodge Durango			57.80
SPBRK-34	Cyclone™ speaker bracket, '10-'22 dual bracket for Inspector SUV			92.27
SPBRK-35	Cyclone™ speaker bracket, '15-'20 Chevy Tahoe			57.80
SPBRK-36	Cyclone™ speaker bracket, '15-'20 dual bracket for Chevy Tahoe and Suburban			87.20
SPBRK-37	Cyclone™ speaker bracket, '15-'20 Ford F150			57.80
SPBRK-38	Cyclone™ speaker bracket, '10-'22 Dodge Durango			87.20
SPBRK-39	Cyclone™ speaker bracket, '20-'22 single bracket for Dodge Ram			87.20
SPBRK-40	Cyclone™ speaker bracket, '20-'22 single bracket for Chevy Tahoe			57.80
SPBRK-41	Cyclone™ speaker bracket, '20-'22 dual bracket for Chevy Tahoe			87.20
SPBRK-42	Cyclone™ speaker bracket, single/dual bracket for '21 Ford F150			87.20
D-60	ABS plastic housing, 100 watt			279.53
D-60-RBB	Compact for motorcycles, ABS plastic housing, 100 watt			306.23
D-60-RBS	Compact for motorcycles, high gloss electro polished aluminum housing, 100 watt			306.23

129	16
510	15
129-DH	16
129-R	16
129-Z	16
1400LED-AA	11
1401-ES-AA	12
1421DLED-RBCA	11
1421-ES-RB	12
1421LED-RB	11
1423LED-RB	11
1501-ES-AA	12
1501-ES-RB	12
1510LED-AA	11
1521DLED-RBCA	11
1521-ES-RB	12
1521LED-RB	11
1523LED-RB	11
1550-TB10-Y	12
1550-TB12-Y	12
1550-TB8-Y	12
1550-TB8-YR	12
200A-12V-A	2
200AH8L-*	3
200AHDL-**	3
200AHL-*	3
200S-12V-*	2
200SH8L-*	3
200SH8LM-*	3
200SHDL-**	3
200SHDLM-**	3
200SHL-*	3
200SHLM-*	3
200SM-12V-*	2
201ZL-*	4
201ZLM-*	4
201ZLX-*	2
201ZLXM-*	2
203MVL-*	4
203MVLM-*	4
204MVL-*	4
2073-1142	16
2073-1157	16
2073-1195	16
2073-4411	16
2073-4509	16
2073-59013	16
2073-795X	16
2073-797	16
2073-94	16
2073-FTEFG	16

2073-H3-1 (12V)	16
2073-H50S	16
240C-12V-*	2
240CF-12V-*	2
240CFL-*	4
240CM-12V-*	2
240H8AFL-*	3
240H8AL-*	3
240H8ALM-*	3
240H8CFL-*	3
240H8CGL-*	3
240H8CL-*	3
240H8CLM-*	3
240H8SFL-*	3
240H8SGL-*	3
240H8SL-*	3
240H8SLM-*	3
240HCFL-*	3
240HCGL-*	3
240HCL-*	3
240HCLM-*	3
240HSFL-*	3
240HSGL-*	3
240HSL-*	3
240HSLM-*	3
240S-12V-*	2
240SF-12V-*	2
240SFL-*	4
240SM-12V-*	2
255H8TAL-*	2
255H8TALV-*	2
255H8TCFL-*	2
255H8TCL-*	2
255H8TCLM-*	2
255H8TCLV-*	2
255H8TSFL-*	2
255H8TSL-*	2
255H8TSLM-*	2
255H8TSLV-*	2
255HTAL-A	2
255HTALV-A	2
255HTCFL-*	3
255HTCL-*	3
255HTCLM-*	3
255HTCLV-*	3
255HTSFL-*	3
255HTSL-*	3
255HTSLM-*	3
255HTSLV-*	3
256TCFL-*	4
256TCL-*	4

256TCLM-*	4
256TCLV-*	4
256TSFL-*	4
256TSL-*	4
256TSLM-*	4
256TSLV-*	4
257H8TAL-A	3
257H8TALV-A	3
257H8TCL-*	3
257H8TCLV-*	3
257H8TSL-*	3
257H8TSLV-*	3
257HTCL-*	3
257HTCLV-*	3
257HTSL-*	3
257HTSLV-*	3
258HTDAL-**	4
258HTDALV-**	4
258HTDCL-**	4
258HTDCLV-**	4
258HTDSL-**	4
258HTDSL V-**	4
266TAL-A	2
266TCFL-*	2
266TCL-*	2
266TCLM-*	2
266TCLV-*	2
266TSAL-A	2
266TSFL-*	2
266TSL-*	2
266TSLM-*	2
266TSLV-*	2
274-40C	15
274-40S	15
274-55TC	15
274-55TS	15
274-DLIT3-U	5
274-DLIT-45	5
274-DLIT-CLP	5
274-DLIT-GRL	5
274-DLIT-GTA	5
274-DLIT-LPB4	5
274-DLIT-RB	5
274-DLIT-RL	5
274-DLIT-RT	5
274-DLIT-U	5
274-DLIT-W	5
274-DLX4-6-1X2	5
274-DLX4-6-2X1	5
274-DLX4-6-45	5
274-DLX4-6-CLP	5

274-DLX4-6-H	5
274-DLX4-6-HK	5
274-DLX4-6-RL	5
274-DLX4-6-T	5
274-DLX4-6-U	5
274-DLX4-6-W	5
274-DLXT-1X2	7
274-DLXT-2X1	7
274-DLXT-45	7
274-DLXT-RL	7
274-DLXT-T	7
274-DLXT-U	7
274-DLXT-W	7
274-LMB	15
274-MMB	15
274-MMB1S	15
274-MMB1T	15
274-MMBS	15
274-MMBT	15
274-SL	15
274-SL1	15
274-SL255	15
274-ULB10-CH	10
274-ULB10-CH11	10
274-ULB10-CP	10
274-ULB10-CV	10
274-ULB10-DU	10
274-ULB10-EX	10
274-ULB10-EX-20	10
274-ULB10-F1	10
274-ULB10-IM	10
274-ULB10-INT	10
274-ULB10-RM	10
274-ULB10-TA	10
274-ULB10-TA21	10
274-ULB10-U1	10
274-ULB21-CH	10
274-ULB21-CH11	10
274-ULB21-CP	10
274-ULB21-CV	10
274-ULB21-DU	10
274-ULB21-EPD20	10
274-ULB21-EX	10
274-ULB21-EX20	10
274-ULB21-F1	10
274-ULB21-IM	10
274-ULB21-INT	10
274-ULB21-RM	10
274-ULB21-RM20	10
274-ULB21-TA	10
274-ULB21-TA21	10

274-ULB21-U1	10
274-ULB42BKT	9
281-*	2
281B-*	2
281DIN-*	2
281FDIN-*	2
281M-*	2
281R-*	2
281RFP-*	2
281RM	2
281RP-*	2
500J	15
510-1	15
510-1M	15
510-4509	15
510-M	15
511-*	15
511-1M-*	15
60-087	13
60-097	13
60-097DT	13
60-102	13
60-102DT	13
60-107	13
60-707A	13
60-802A	13
60-802S	13
60-807A	13
60-907S	13
63-087	13
63-097	13
63-097DT	13
63-102	13
63-102DT	13
63-107	13
63-707A	13
63-802A	13
63-807A	13
64-097	14
64-102	14
64-107	14
66-087	13
66-087SS	14
66-092SS	14
66-097	13
66-097DF	13
66-097DT	13
66-097SS	14
66-102	13
66-102DT	13
66-107	13

66-707A	13	9202LV-*	11	BBK274-FL	15	DLIT3E-*	5	DLX4-HK-1-**	5
66-802A	13	920-35	12	BBK274-FL-P	15	DLIT3S-*	5	DLX4-HK2-**	5
66-802S	13	920-35CVLP	12	BBK274-PLATE	15	DLITE-**	5	DLX4-HK2-1-**	5
66-807A	13	920-35D	12	BBK-FDCH	15	DLITMC-**	5	DLX6-**	5
66-907S	13	920-35D1	12	BK255H8TCL-*	8	DLITS-**	5	DLX6C-**	5
66L-087	13	920-35DU20	12	BK255H8TSL-*	8	DLNT-121-**	6	DLX6F-**	5
66L-097	13	920-35F	12	BK266TCL-*	8	DLNT-121SC**-16	6	DLX6-HK-**	5
66L-097DT	13	920-35F1	12	BK266TSL-*	8	DLNT-121S-RR-16	6	DLX6-HK-1-**	5
66L-097SS	14	920-35F10	12	BK9016LED-*	8	DLNT-122S**-16	6	DLX6-HK2-**	5
66L-102	13	920-35F2	12	BK9100LED-*	8	DLNT-122SC**-16	6	DLX6-HK2-1-**	5
66L-102DT	13	920-35F3	12	BKDLIT3E	8	DLQS3-6	9	DLXT-121-**	6
66L-107	13	920-35F4	12	BKDLIT3S	8	DLQS3-6-**-3	9	DLXT-121C**	6
66L-707A	14	920-35F5	12	BKDLITE-**	8	DLQS3-8	9	DLXT-124-**	6
66L-802A	14	920-35F6	12	BKDLITS-**	8	DLQS3-8-**-3	9	DLXT-124C**	6
66L-807A	14	920-35F9	12	BKDLS306-*	8	DLQS-4	8	DLXT-2CUST	6
68-112	14	920-35FT	12	BKDLX3-*	8	DLQS-47-AA	8	DLXT-3CUST	6
68-812A	14	920-35FX1	12	BKDLX4-**	8	DLQS-47-TD-35	8	DLXTHR-1-*	7
68C-112	14	920-35FX2	12	BKDLX6F-**	8	DLQS-47-TD-45	8	DLXTHR-2-*	7
68C-812A	14	920-35FX3	12	BKDLXT-121-**	8	DLQS-56-*	9	DLXTHR-4-*	7
68L-112	14	920-35GM	12	BKDLXTHR-1-*	8	DLQS-6	8	DLXTHR-8-*	7
68L-812A	14	920-35GM5	12	BKDLXTHU-1-*	8	DLQS-6-AA-TD	8	DLXTHU-1-*	7
7100DLED-*	11	920-35GM6	12	BKLD418-2	8	DLQS-76-*	9	DLXTHU-4-*	7
7100LED-*	11	920-35GM7	12	BKLDHF311-*.10	8	DLQS-8	8	DLXTHU-7-*	7
7100LED-TB-*	11	920-35GM8	12	BKSWH-346-10	8	DLQS-8-AA-TD	8	DLXTHU-8-*	7
7650-TB10-Y	12	920-35I6	12	BKSWH-346-18	8	DLQS-ARO-**	9	DLXTHUS-1-**	7
9016LED-*	11	920-35M1	12	BKSWH-346-19	8	DLQS-ARO2-**	9	DLXTHUS-4-**	7
9016LEDM-*	11	920-35RM2	12	BKSWH-346-24	8	DLQS-ARO2-AA-TD	9	DLXTRMC-1-***	6
9016LEDV-*	11	920-35RM3	12	BKSWH-346-5	8	DLQS-ARO-AA-TD	9	DLXTRMC-1C-***	6
9018DLED-*	10	920-35RM5	12	BKSWH-357-18	8	DLQSMC-4-*	9	DLXTRMC-4-***	6
9018LED-*	10	920-35-S105	12	BKSWH-357-23	8	DLQSMC-6-*	9	DLXTUMC-1-***	6
9018LED9-A	10	9900LED-*	10	BKSWH-361-10	8	DLQSMC-8-*	9	DLXTUMC-1C-***	6
9018TBLED-*	10	9900LEDB-*	10	BKSWH-361-14	8	DLQSMC-ARO2-CUST	9	DLXTUMC-4-***	6
9100DLED-*	11	9900LEDV-*	10	BKSWH-361-16	8	DLQSMC-ARO2-CUST-TD	9	FLKULB9S-**	4
9100DLEDM-*	11	9901LED-*	10	BKSWH-361-18	8	DLQSMC-ARO-CUST	9	LBC-CAN	11
9100DLEDV-*	11	BB274-343K	15	BKSWH-361-21	8	DLQSMC-ARO-CUST-TD	9	LCS600	16
9100LED-*	10	BB274-7100MMB	15	BKSWH-361-21FD	8	DLS306-*	5	LCS652-013	16
9100LEDM-*	10	BB274-BEACONMMB	15	BKSWH-361-23	8	DLS306C-*	5	LCS653-013	16
9100LED-T13-A	10	BB274-DLX46LPM	6	BKSWH-361-25	8	DLTT-121-**	6	LCS653-1-013	16
9100LEDV-*	10	BB274-DLX4-6-RHK	6	BKSWH-361-FD-S	8	DLTT-121CAA	6	LCS770	16
9100LEDV-T13-A	10	BB274-DLX4-6-SLP	6	D-44	17	DLTT-124-**	6	LCS800-008	16
9200H8L-*	11	BB274-DLX6-BAIL	6	D-60	17	DLTT-124CAA	6	LCS800-F8	16
9200H8LM-*	11	BB274-DLXTHU-LPB	7	D-60-RBB	17	DLTT-241-**	6	LCS850-8	16
9200H8LV-*	11	BB274-DLXT-LPB	7	D-60-RBS	17	DLTT-241CAA	6	LCS850-DM8	16
9200HL-*	11	BB274-DLX-VC	6	DLHT-121-**	6	DLTT-244-**	6	LCS850-F8	16
9200HLM-*	11	BB274-FISUV-DLIT3	5	DLHT-121CAA	6	DLTT-244CAA	6	LCS850MG12	16
9200HLV-*	11	BB274-FISUV-GRL	6	DLHT-124-**	6	DLTTRMC-1	6	LCS850MG-F12	16
9200LX	11	BB274-FISUV-VER	6	DLHT-124CAA	6	DLTTRMC-4	6	LCS869	16
9200LXM	11	BB274-MINIBAR-RSR	15	DLHT-241-**	6	DLX3-*	5	LCS880-016	16
9200LXV	11	BB274-RWL	6	DLHT-241CAA	6	DLX4-**	5	LDH-361-S-*	7
9202L-*	11	BBK274-FH	15	DLHT-244-**	5	DLX4C-**	5	LDH-361-T-*	7
9202LM-*	11	BBK274-FH-P	15	DLHT-244CAA	5	DLX4-HK-**	5	LDH-362-E-*	7

LDH-362-S*	7
LDH-362-T*	7
LDH-363-E*	7
LDH-363M-S*	7
LDH-363M-T*	7
LDH-363-S*	7
LDH-363-T*	7
LDH-364-E*	7
LDH-364-S*	7
LDH-364-T*	7
LDHF301-*·10	8
LDHF301-*·30	8
LDHF311-*·10	8
LDHF311-*·30	8
LDHF362-E*	7
LDHF362-S*	7
LDHF362-T*	7
LDHF363-E*	7
LDHF363-SE*	7
LDHF363-T*	7
LDHF364-E*	7
LDHF364-T*	7
LST129-4	16
LST129-7	16
RLKULB9E-1-**	4
RLKULB9S-1-**	4
SB1515	14
SB3015	14
SB4020	14
SB4020-15	14
SB4020T	14
SB4040	14
SB4040-15	14
SB4425T	14
SB44-5	14
SB44-8	14
SP1515	14
SP3015	14
SP3860-1	14
SP3860-2	14
SP3860-2H	14
SP3860-3	14
SP3860-3H	14
SP3860-4	14
SP3860-4H	14
SP3860-5	14
SPBRK-16	17
SPBRK-17	17
SPBRK-18	17
SPBRK-19	17
SPBRK-20	17

SPBRK-21	17
SPBRK-22L	17
SPBRK-22R	17
SPBRK-23	17
SPBRK-24	17
SPBRK-27	17
SPBRK-28	17
SPBRK-29	17
SPBRK-30	17
SPBRK-31	17
SPBRK-32	17
SPBRK-33	17
SPBRK-34	17
SPBRK-35	17
SPBRK-36	17
SPBRK-37	17
SPBRK-38	17
SPBRK-39	17
SPBRK-40	17
SPBRK-41	17
SPBRK-42	
SR10	15
SR12	15
SR7	15
SR9	15
SS650-013	16
SS651-013	16
SS651MT-013	16
SS670-013	16
SS700-016	16
SS730	16
SS741MG-11	16
SS741MG-DM11	16
SS867	16
ST3901-*	16
ST3901-12	16
ST3901-7	16
ST415PC	16
ST415PC-W	16
TCS-1	9
TCS-1REF	9
TCS-2	9
TCS-2REF	9
TCS-6	9
ULB14-**	9
ULB18-**	9
ULB24-**	9
ULB24-DLP-**	9
ULB28-**	9
ULB28-CH	9
ULB28-FIS-**	9

ULB28-FISUV-**	9
ULB34-1-FISUV	9
ULB34-1-FISUV20	9
ULB34-1-TA21	9
ULB38-TD-FISUV	9
ULB38-TD-FISUV20	9
ULB38-TD-TA21	9
ULB48-TD-**	9
ULB9E-**	4
ULB9E-1-**	4
ULB9LDC-**	4
ULB9LDC-1-**	4
ULB9S-**	4
ULB9S-1-**	4
VL22-*	4

TERMS AND ORDERING INFORMATION

Sales Policy	All Star Headlight & Lantern Co., Inc. products are sold through distributors. Possession of our catalog and/or price list does not constitute our offer to sell to or the right to purchase directly from Star Headlight & Lantern Co., Inc.
Pricing	Prices are subject to increase, without prior notification, based on Star Headlight & Lantern Co., Inc.'s current price at the time of shipment. Taxes are not included in the price list. Star Headlight & Lantern Co., Inc. will add all applicable taxes to the invoice where required by law. Minimum purchase order - \$100. Minimum parts order - \$25.00. A service charge of \$10.00 will be added to all orders not meeting minimum requirements. A service charge of \$10.00 will be added to all air shipment orders. Prepaid freight on orders over \$1000.00 net invoice. This offer is limited to Star standard ground shipping to a single address within the U.S. An additional cost will be applied to expedited orders, shipments delivered by customer-specific carriers, and shipments to Alaska.
Payment	Payment terms, for distributors with open account status, are NET 30 from the date of invoice. Past due invoices will be subject to a later charge of 1 ½% (18% annually).
Damage Claims	Claims for damage or loss in transit must be filed by the distributor against the carrier. Claims for shortages in shipment must be filed, in writing, with Star Headlight & Lantern Co., Inc. no more than 10 days for receipt of shipment.
Delivery	Star Headlight & Lantern Co., Inc. will make every effort to deliver ordered merchandise on the date requested by the distributor. Star Headlight & Lantern Co., Inc. shall not be liable for any damages to the distributor arising out of delayed shipments where the delivery circumstances are beyond the control of Star Headlight & Lantern Co., Inc.
Returns	You must contact Star Headlight & Lantern Co., Inc. prior to return any merchandise. All returns require a Return Material Authorization (RMA) number. The RMA# must be clearly marked on the package and associated paperwork. All returned merchandise is subject to inspection. Any items returned for repair that are deemed to be out of warranty are subject to parts replacement cost. If a returned item is out of warranty, the sender will be notified prior to any work being performed with an estimated cost of repair. No repairs will be done until proper authorization is obtained from the sender. Any merchandise returned for restock/credit that is not in new and sale-able condition will be returned to the distributor issued and no credit will be issued. All items returned for restock are subject to a minimum of 15% restock fee.
Installation	It is the sole responsibility of the owner to ensure their warning light is secure. Check the light every time you use the vehicle to ensure that it is mounted securely. Star Headlight & Lantern Co., Inc. assumes no responsibility for the secure mounting of this light on the roof of your vehicle with a magnet mount, take extreme care to ensure that the magnet is firmly seated on your roof, and that the pull of the magnet is sufficient to secure the light in place. As the composition of the metal in the roofs of different vehicles may vary, as well as the contour, texture and/or conditions, Star Headlight & Lantern Co., Inc. cannot guarantee the ability of any magnetically mounted light to remain in place upon a moving vehicle and it is done at the sole discretion of the owner.
Warranty	The manufacturer warrants each new product, under normal use, against factory defects in material and workmanship for one year and five years on LED components after the date purchase. The owner will be responsible for returning to the Service Center any defective item(s) with the transportation costs prepaid. The manufacturer will, without charge, repair or replace at its option, products, or part(s), which its inspection determines to be defective. Repaired or replacement item(s) will be returned to the purchaser with transportation costs prepaid from the service point. A copy of the purchaser's receipt must be returned with the defective item(s) in order to qualify for the warranty coverage. Exclusions from this warranty include, but are not limited to, bulbs, strobe tubes, domes, and/or the finish. This warranty shall not apply to any light, which has been altered, such that in the manufacturer's judgment, the performance or reliability has been affected, or in any damage has resulted from abnormal use or service. This warranty does not apply to defect or damage occurring as a result of disaster, accident, abuse, misuse, lightning, power surges, or failure to follow enclosed manuals. Any damage or defects occurring as a result of any unauthorized service or repairs by unauthorized persons shall be excluded from this warranty. There are no warranties expressed or implied (including any warranty of merchantability or fitness), which extend this warranty period. The loss of use of the product, loss of time, inconvenience, commercial loss or consequential damages, including the cost of any labor, are not covered. The manufacturer reserves the right to change the design of the product without assuming any obligation to modify any product previously manufactured. This warranty gives you specific legal rights. You might also have additional rights which may vary from state to state. Some states do not allow limitations on how long and implied warranty lasts. Some states do not allow the exclusion or limitation of incidental damages. Therefore, the above limitation(s) or exclusion(s) may not apply to you.
Parts Pricing	All parts and parts pricing is available for download at our website www.starheadlight.com .
Note	Bulbs and flash tubes are not covered under warranty. Speakers are not covered against water damage.



**“Proudly Designed, Manufactured,
and Assembled in the U.S.A.!”**

SHIPPING
455 Rochester Street
Avon, NY 14414

PHONE
585-226-9787
585-226-9500



MAILING
455 Rochester Street
Avon, NY 14414

FAX
888-478-2797
585-226-2029

www.starheadlight.com
An ISO 9001:2015 Certified Company